Print Format

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs Welcome **United States Patent and Trademark Office** FAQ Terms IEEE Peer Review **Quick Links** Welcome to IEEE Xplore® O- Home Your search matched 42 of 1099265 documents. O- What Can A maximum of 500 results are displayed, 15 to a page, sorted by Relevance I Access? **Descending** order. O- Log-out **Refine This Search: Tables of Contents** You may refine your search by editing the current search expression or entering new one in the text box. O- Journals & Magazines differential amplifier and gain control •Search • > Conference ☐ Check to search within this result set **Proceedings** O- Standards **Results Key: JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard Search O- By Author 1 A 50 MHz CMOS differential amplifier channel for a laser range finding O- Basic device O- Advanced Ruotsalainen, T.; Kostamovaara, J.; O- CrossRef Circuits and Systems, 1994. ISCAS '94., 1994 IEEE International Symposium on , Volume: 5 , 30 May-2 June 1994 Member Services Pages:89 - 92 vol.5 O- Join IEEE [Abstract] [PDF Full-Text (348 KB)] - Establish IEEE **IEEE CNF** Web Account 2 GaAs HBT 0.75-5 GHz multifunctional microwave-analog variable ga C - Access the **IEEE Member** amplifier **Digital Library** Kobayashi, K.W.; Ip, K.T.; Oki, A.K.; Umemoto, D.K.; Claxton, S.; Pope, M.; \ J.; IEEE Enterprise Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1993. Technical Di 1993., 15th Annual, 10-13 Oct. 1993 - Access the Pages: 239 - 242 **IEEE Enterprise** File Cabinet [Abstract] [PDF Full-Text (248 KB)]

3 Bipolar monolithic amplifiers for a gigabit optical repeater

Ohara, M.; Akazawa, Y.; Ishihara, N.; Konaka, S.;

Solid-State Circuits, IEEE Journal of , Volume: 19 , Issue: 4 , Aug 1984 Pages: 491 - 497

[Abstract] [PDF Full-Text (1184 KB)] IEEE JNL

4 A 160 MHz BiCMOS differential amplifier channel with gain control for the receiver of a portable laser rangefinding device

Ruotsalainen, T.; Palojarvi, P.; Kostamovaara, J.;

Circuits and Systems, 1995., Proceedings., Proceedings of the 38th Midwest

Symposium on , Volume: 2 , 13-16 Aug. 1995

Pages:1030 - 1033 vol.2

[Abstract] [PDF Full-Text (276 KB)] IEEE CNF

5 A transferred-substrate HBT wide-band differential amplifier to 50 ¢ Agarwal, B.; Lee, Q.; Pullela, R.; Mensa, D.; Guthrie, J.; Rodwell, M.J.W.; Microwave and Guided Wave Letters, IEEE [see also IEEE Microwave and Wire Components Letters], Volume: 8, Issue: 7, July 1998 Pages: 263 - 265

[Abstract] [PDF Full-Text (92 KB)] IEEE JNL

# 6 GaAs HBT 0.75-5 GHz multifunctional microwave-analog variable ga amplifier

Kobayashi, K.W.; Ip, K.T.; Oki, A.K.; Umemoto, D.K.; Claxton, S.; Pope, M.; I J.;

Solid-State Circuits, IEEE Journal of , Volume: 29 , Issue: 10 , Oct. 1994 Pages:1257 - 1261

[Abstract] [PDF Full-Text (396 KB)] IEEE JNL

### 7 A DC to 1-GHz differential monolithic variable-gain amplifier

Meyer, R.G.; Mack, W.D.;

Solid-State Circuits, IEEE Journal of , Volume: 26 , Issue: 11 , Nov. 1991

Pages:1673 - 1680

[Abstract] [PDF Full-Text (476 KB)] IEEE JNL

#### 8 Variable gain differential current feedback amplifier

Koudar, I.;

Custom Integrated Circuits Conference, 2004. Proceedings of the IEEE 2004, Oct. 2004

Pages:659 - 662

[Abstract] [PDF Full-Text (496 KB)] IEEE CNF

# 9 A CMOS "soft-switched" transconductor and its application in gain control and filters

Mensink, C.H.J.; Nauta, B.; Wallinga, H.;

Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 7 , July 1997

Pages:989 - 998

[Abstract] [PDF Full-Text (228 KB)] IEEE JNL

# 10 A power-efficient, low-distortion variable gain amplifier consisting coupled differential pairs

van Lieshout, P.J.G.; van de Plassche, R.J.;

Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 12 , Dec. 1997

Pages:2105 - 2110

[Abstract] [PDF Full-Text (124 KB)] IEEE JNL

#### 11 Linear switching of the differential pair tail current

Filanovsky, I.M.;

Circuits and Devices Magazine, IEEE, Volume: 12, Issue: 5, Sept. 1996 Pages:45

[Abstract] [PDF Full-Text (864 KB)]

## 12 Circuit design techniques for very low-voltage analog functional blo using triple-tail cells

Kimura, K.;

Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactic on [see also Circuits and Systems I: Regular Papers, IEEE Transactions on], Volume: 42, Issue: 11, Nov. 1995 Pages:873 - 885

[Abstract] [PDF Full-Text (940 KB)]

#### 13 A CMOS differential buffer amplifier with accurate gain and clipping control

Chang, Z.Y.; Haspeslagh, D.;

Solid-State Circuits, IEEE Journal of , Volume: 30 , Issue: 7 , July 1995

Pages:731 - 735

[Abstract] [PDF Full-Text (424 KB)] **IEEE JNL** 

### 14 A single-chip bipolar AGC amplifier with large dynamic range for optical-fiber receivers operating up to 3 Gbit/s

Reimann, R.; Rein, H.-M.;

Solid-State Circuits, IEEE Journal of , Volume: 24 , Issue: 6 , Dec. 1989

Pages:1744 - 1748

[Abstract] [PDF Full-Text (484 KB)] **IEEE JNL** 

#### 15 dB-linear V-I converter using composite NMOS transistor

Quoc-Hoang Duong; Trung-Kien Nguyen; Hoang-Nam Duong; Sang-Gug Lee; Microelectronics, 2003. ICM 2003. Proceedings of the 15th International Conference on , 9-11 Dec. 2003

Pages:10 - 13

[Abstract] [PDF Full-Text (1481 KB)] **IEEE CNF** 

1 2 3 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved